STORE SURVEY | GENERAL INFORMATION

Date of Survey:	Store Address:	
Surveyor Name:		
Phone Number:		
Email Address:		
Planned Brand: O CLARK PREMIER O CLARK CLASSIC	Current Brand:	
Total Number of Dispensers:	Is the store fully debranded? $igodot {\sf YES}$ $igodot {\sf NO}$	

CANOPY FACE DIAGRAMS

Use the diagrams below to reference the layout and design standards for each Clark canopy image.

The placement of illuminated logo signs on the canopy may vary depending on the canopy's orientation in relation to surrounding streets. Contact Clark for guidance if logo placement is unclear. Any deviations from the standard layout must be approved by Clark prior to installation.


CLARK PREMIER

Front Elevation (IT)
Left Elevation (IT)
Right Elevation (RT)
CLARK CLASSIC
Front Elevation (FT) & Rear Elevation (RR)
Left Elevation (IT)
Right Elevation (RT)
Left Elevation (IT)
Right Elevation (RT)

STORE SURVEY RECTANGULAR CANOPY	·
CANOPY DETAILS	
Canopy Height: O 36" O 42" O 48" O Other Total Number of Canopies:	
Is there a dedicated diesel canopy? $igodot {\sf VES}$ $igodot {\sf NO}$	
Do local codes require windload ratings over 90 MPH? $$ O YES $$ O NO	
Type of Lighting System: O LED O T 12 O N/A O Other	

Instructions: Use the diagrams on page one as reference for the final canopy layout. On this page, measure the canopy and mark logo placement and Archer lighting locations. Clearly indicate which side faces the main street and which side faces the convenience store, if applicable. Label surrounding streets directly on the diagram to help orient the store. Complete the table below to provide the elevation-specific details.

Note: If the canopy has more than four sides, include a drawing with dimensions as part of this survey.



Elevation	Length (ft/in)	Faces Street (Y/N)	Faces C-Store (Y/N)
Front Elevation (FT)			
Left Elevation (LT)			
Rear Elevation (RR)			
Right Elevation (RT)			

STORE SURVEY | GENERAL LOCATION SURVEY



SKETCH THE LAYOUT

Instructions: Use the space below to sketch the overall store layout. Include the canopy, building, driveways, fuel dispensers, street names, and any other key features. Clearly indicate the orientation (include a North arrow), and label each structure or object. This drawing will assist in understanding the full layout and planning installation.



STORE SURVEY | PHOTO CHECKLIST

REQUIRED PHOTOS

Instructions: Take clear, well-lit photographs that accurately document the current condition and layout of the store. All photos should be taken at angles and distances that fully capture the subject. Ensure that nothing is cut off or obscured. The following must be photographed:

Signs	
	All sign faces (include front/back if applicable)
	Price and monument signs
	C-store signage
Canoj	ру
	Full canopy (wide angles)
	Support poles and flag signs
	Bollards
	Decking and fascia (all sides)
Dispe	nsers
	All dispensers
	Valance, skirt, product ID panels
	Brand/model labels, CRIND, nozzles
	Islands (full view)
Buildi	ng
	All existing structures (C-store, car wash, etc.)
	Store entrances
	Wide-angle shots showing the full store layout
Surro	undings
	Nearby businesses or land directly across the street
	Any notable structures or features near the store that may impact visibility or access

CLARKBRANDS.COM | 877-GO-CLARK

STORE	SURVEY	NOTES



100 m
159
 12