



# CLARK PREMIER

IMAGE VALIDATION GUIDE





**Main Phone**  
(877) 462-5275

**Text**  
(833) 751-4646

**Client Services**  
clientservices@clarkbrands.com

**For more information,  
contact Clark Brands  
or your Regional Sales  
Manager.**

# CLARK PREMIER

## IMAGE VALIDATION GUIDE

### TABLE OF CONTENTS

Partners & Brand Colors . . . . .	<b>3</b>
Overview . . . . .	<b>4</b>
Canopy . . . . .	<b>5</b>
Flag Signs & Waste Bins . . . . .	<b>6</b>
Poles, Islands, & Bollards . . . . .	<b>7</b>
Dispensers . . . . .	<b>8</b>
Product ID Panels . . . . .	<b>9</b>
Primary Sign . . . . .	<b>10</b>
On The Go Sign . . . . .	<b>11</b>
Entry Door Decals . . . . .	<b>12</b>
POP & Decal Placement . . . . .	<b>13</b>
Checklist . . . . .	<b>Appendix</b>
Notes . . . . .	<b>Appendix</b>



### OBJECTIVE

As a nationally recognized brand, one of our responsibilities is to help our customers implement and maintain the Clark Brands imaging system. Image validation ensures that all visual elements are applied correctly and consistently, in accordance with our established guidelines. This protects the integrity of the Clark image and reinforces our brand reputation.

Once your imaging project is complete, submit the required photos to your Regional Sales Manager (RSM), who will conduct a final review and sign off on the work.



## IMAGE VALIDATION | PARTNERS & BRAND COLORS

All materials required to brand your store must be ordered through one of the approved vendors listed below. If any issues are identified during the image validation process, contact the appropriate vendor for replacements or corrections. Clark is available to assist as needed. All orders must receive prior approval from Clark before they can be processed.



### LSI INDUSTRIES

**Adriana Campuzano** | (713) 329-4073 | [adriana.campuzano@lsicorp.com](mailto:adriana.campuzano@lsicorp.com)

Canopy and building ACM and fascia film, dispenser skirt and valance graphics, and fuel island regulatory and warning decals.



**Everbrite**

### EVERBRITE

**Kristy Edmonds** | (414) 529-7218 | [kedmonds@everbrite.com](mailto:kedmonds@everbrite.com)

Price signs (conventional and LED), sign structures, logo faces, and other signage-related services.



**SHERWIN-WILLIAMS**

### SHERWIN-WILLIAMS

Clark-approved paints for correcting scuffed, chipped, or improperly painted surfaces. Use the Store Locator at [sherwin-williams.com](http://sherwin-williams.com) to find a nearby retailer (Account No. 5539-5850-5).

If you need additional POP materials, decals, or apparel, visit [shopclarkcrown.com](http://shopclarkcrown.com).

## BRAND COLORS



**Clark Blue**  
Pantone 280 C



**Clark Red**  
Pantone 1795 C



**Clark Light Blue**  
Pantone 3005 C



**Clark Dark Gray**  
Pantone 877 C

Sherwin-Williams  
SW7068  
Grizzle Gray



**Clark Light Gray**  
Pantone 420 C

Sherwin-Williams  
SW7065  
Argos




For paint specifications and application instructions, scan the QR code



## IMAGE VALIDATION | OVERVIEW

Capture clear, straight-on photos of each completed branding element shown in this overview. Every required item must be visible, in focus, and taken from an angle that clearly shows proper installation. Once all photos are taken, submit them to your Clark Brands RSM for review. The RSM will verify that all branding meets Clark standards and confirm that the image project is complete.


All remnants of previous branding, including stickers, decals, and signage from other gasoline brands, must be completely removed from all areas of the store. Failure to remove these items may result in delays to final approval.



See photography note  
on each page




## IMAGE VALIDATION | CANOPY



### Archer Lighting System

Verify that the Archer lighting system is installed according to the manufacturer's specifications. The color overlay on the light bar must follow the same angled design as the ACM panels, ensuring visual alignment with the red over red and white over white, as shown in the image.



CANOPY LEFT



CANOPY RIGHT



### Canopy Decking

The canopy must be well-lit using flush-mounted LED lighting that is evenly installed and free of gaps or misalignment.



### Illuminated Logo Signs

Two illuminated Clark logo signs must be installed on the canopy, one on each side. Any deviations from this standard must have received prior approval from Clark.



**Photograph all canopy sides, signs, and decking**



## IMAGE VALIDATION | FLAG SIGNS & WASTE BINS



### Waste Bins

All waste bins at the store must be either blue or black.



### Flag Sign

Double-sided flag signs must be installed on every canopy pole, facing outward for maximum visibility.



#### Pantone

1795 C

280 C

White

Numbers are displayed in Futura Bold font

**Photograph all flag signs and waste bins**



## IMAGE VALIDATION | POLES, ISLANDS, & BOLLARDS



Code	Item	Color Name	Pantone	Sherwin-Williams
<b>A</b>	<b>Canopy Poles</b>	<b>Clark Light Gray</b>	<b>420 C</b>	<b>SW7065 Argos</b>
<b>B</b>	<b>Islands</b>	<b>Clark Dark Gray</b>	<b>877 C</b>	<b>SW7068 Grizzle Gray</b>
<b>C</b>	<b>Bollards</b>	<b>Clark Light Gray</b>	<b>420 C</b>	<b>SW7065 Argos</b>

### Exterior Painting

Stainless steel islands and bollards must not be painted. Any island that is currently unpainted must remain unpainted. Only islands with existing paint may be repainted. Canopy poles must be painted Clark Light Gray. For detailed exterior painting guidelines, refer to the Clark Premier Image Manual or scan the QR code on page 3.



**Photograph all poles, islands, & bollards**



## IMAGE VALIDATION | DISPENSERS



### Valance Graphic

Verify that the valance is installed correctly and that the pump number graphics and design elements have not been cut or altered.

### Product ID Panel

Confirm that the product names, colors, and octane decals match the Clark branding standards shown in the adjacent diagram.

### Skirt


Ensure the skirt is fully wrapped in the correct Clark Premier design and is free from damage, misalignment, or visible imperfections.

**Photograph both sides of each dispenser**



All previous brand elements, including stickers, decals, and signage from other gasoline brands, must be completely removed.

## IMAGE VALIDATION | PRODUCT ID PANELS



### Product ID Panels (PIDs)

Dispenser setups may vary by store, but all configurations must follow these labeling standards:

Use Unleaded for the lowest octane product (87), Extra for midgrade (89), and Premium for the highest octane (93). If four grades are offered, the next highest octane (90, 91, or 92) must be labeled Super. If diesel is offered, it must be labeled Diesel.

All product names, colors, and octane numbers must match the Clark standards shown above. Any incorrect or mismatched panels must be corrected.




Name	Pantone	Octane	Nozzle Color
Unleaded	280 C	87	Black
Extra	3005 C	89	Black
Premium	1795 C	93	Black
Super	431 C	90, 91, or 92	Black
Diesel	355 C	Diesel	Green



**Photograph the PID of each dispenser**



## IMAGE VALIDATION | PRIMARY SIGN



Item	Color Name	Pantone	Sherwin-Williams
Poles	Clark Light Gray	420 C	SW7065 Argos

### Primary Sign

If product panels are present on the primary sign, an Unleaded panel in Clark Blue (Pantone 280) must be placed directly below the Clark logo. All additional gasoline product panels must also use Clark Blue and be positioned beneath the Unleaded panel, following the product naming standards outlined on page 9. If diesel is offered, the Diesel panel must use Clark Green (Pantone 355) and be placed below the gasoline panels.

All primary sign support poles must be painted Clark Light Gray and be free of any remnants from previous branding, including labels, paint, or hardware.

**Photograph both sides of the primary sign**



# IMAGE VALIDATION | ON THE GO SIGN



## On The Go Sign

If an On The Go sign is installed on the c-store, it must be positioned either above or directly next to the main entry door in a clearly visible location.



## Monument Sign

If product panels are present on the monument sign, the Unleaded panel in Clark Blue (Pantone 280) must appear at the top.



**Photograph all  
On The Go signs**



## IMAGE VALIDATION | ENTRY DOOR DECALS



Front Door (Exterior View)



Front Door (Interior View)



### Endless Rewards Mastercard® Window Decal

Entry door decals must be installed in the designated location on the main entrance and remain clear, unobstructed, and easily visible.



Photograph store entry with decals



# IMAGE VALIDATION | POP & DECAL PLACEMENT

## Dispenser decals detail view



## Dispenser Decals & POP

Each dispenser at the store must have the decals applied as shown above. All point-of-purchase (POP) materials should be fully assembled and installed in the designated locations. Any existing decals, including those from other brands, must be removed to ensure alignment with Clark branding standards.

**Please note:** Actual decal placement may vary slightly depending on the dispenser model at your store.

If additional POP materials or decals are needed, please visit [shopclarkcrown.com](http://shopclarkcrown.com).



**Photographs must capture all POP materials and decals**



# IMAGE VALIDATION | CHECKLIST

Location Address: \_\_\_\_\_

Use the checklist below to confirm that each branding element has been photographed and to indicate whether it was installed correctly or requires correction. The completed checklist will help identify and resolve any imperfections. Contact Clark for assistance with addressing defects or if you have questions about the image validation process.

## KEY



Photographed



Installed Correctly



Requires Correction



Not Applicable

## Main Phone

(877) 462-5275

## Text

(833) 751-4646

## Client Services

clientservices@clarkbrands.com

## Canopy - Page 5



Left, Right, Front, and Rear Elevations

☐
☐
☐
☐

Illuminated Logo Signs

☐
☐
☐
☐

Archer Lighting (White-over-White, Red-over-Red)

☐
☐
☐
☐

Canopy Decking

☐
☐
☐
☐

## Flag Signs - Page 6

☐
☐
☐
☐

## Waste Bins - Page 6

☐
☐
☐
☐

## Poles - Page 7

☐
☐
☐
☐

## Islands - Page 7

☐
☐
☐
☐

## Bollards - Page 7

☐
☐
☐
☐

## Dispensers - Page 8

☐
☐
☐
☐

Valance Graphic

☐
☐
☐
☐

PID (Product ID Panel)

☐
☐
☐
☐

Octane Decals

☐
☐
☐
☐

POP & Decals

☐
☐
☐
☐

Skirt

☐
☐
☐
☐

## Product ID Panels - Page 9

Unleaded + Pantone 280 C + 87

☐
☐
☐
☐

Extra + Pantone 3005 C + 89

☐
☐
☐
☐

Premium + Pantone 1795 C + 93

☐
☐
☐
☐

Super + Pantone 431 C + 90, 91, or 92

☐
☐
☐
☐

Diesel + Pantone 355 C + Diesel

☐
☐
☐
☐

## Primary Sign - Page 10

Sign Faces

☐
☐
☐
☐

Product Panels

☐
☐
☐
☐

Poles

☐
☐
☐
☐

## On The Go Sign\* - Page 11

☐
☐
☐
☐

## Entry Door Decals - Page 12

Front - Welcome

☐
☐
☐
☐

Back - Thank You

☐
☐
☐
☐

Endless Rewards Mastercard® Window Decal

☐
☐
☐
☐

\*If applicable





ACCELERATE > PERFORMANCE > DRIVE > POWER

CLARK

CLARKBRANDS.COM | 877-GO-CLARK

All information within this guide is current as of JUNE 2025 and is subject to change at any time.



**Scan to access additional  
checklists and notes pages**